Technical Bulletin

Genes that fit your farm.



CDC Lewochko Yellow Field Pea



Description:

CDC Lewochko is a mid-maturing yellow cotyledon, semi-leafless field pea with medium vine length, great lodging resistance and powdery mildew resistance.

Parentage:

Strengths:

- Good yield; similar to CDC Spectrum
- Good lodging resistance; similar to CDC Spectrum and CDC Amarillo, better than CDC Inca or CDC Meadow
- Medium-long vine length, taller than CDC Amarillo
- Powdery mildew resistance
- Improved seed characteristic package- rated good for:
 - Resistance to seed coat breakage
 - Resistance to dimpling (better than CDC Amarillo)

- Greenness (less green coloration; better than CDC Inca or CDC Spectrum
- Shape (round)

Neutral Traits:

- Medium maturity
- Medium seed size (similar to CDC Amarillo)
- Moderate protein concentration
- Fair Mycosphaerella blight resistance (similar to CDC Amarillo, CDC Inca or CDC Spectrum)
- Fair Fusarium wilt resistance (similar to Agassiz)

Breeder: Funded by:





Table 1: Performance of CDC 4061-4 compared to the checks (Pea Co-op Test A, 2014-2015)

Variety	Yield (kg/ha)	Yield (% mean of checks)	Days to maturity	Vine length (cm)	Lodging (pre- harvest)	Seed wt (mg)	Shape	Crude protein (%)
CDC Golden (check)	3144	98	93	68	4.1	213	2.5	21.2
Agassiz (check)	3282	102	94	72	3.9	229	2.9	20.8
CDC 4061-4	3728	116	97	78	3.0	231	2.5	21.0
# of locations	22		20	19	24	19	18	5

Lodging score: 1=upright; 9=completely lodged

Shape: 1=round; 5=cubic

Table 2: Disease resistance data of CDC 4061-4 compared to the checks (Pea Co-op Test A, 2014-2015)

Variety	Myco (MB)	Myco (SK)	AUDPC- SK	Fusarium wilt (%)	Powdery mildew
CDC Golden (check)	3.5	4.0	11.3	29	0
Agassiz (check)	3.2	3.3	10.3	19	0
CDC 4061-4	3.5	2.5	10.3	18	0
# locations	2	2	2	2	2

Myco (MB)= Mycosphaerella blight assessed at Morden, MB (1=no disease, 9=completely blighted)

Myco (SK)= Mycosphaerella blight assessed at Saskatoon, SK.

AUDPC= Mycosphaerella blight area under the disease progress curve

Powdery mildew (0=no disease, 9=completely mildewed

2024 Seed Manitoba

						Resistance to:											
Variety	Yield % of Check	Site Years Tested	Relative Maturity	Relative Vine Length	Seed Size (TKW)	Lodaina	Powdery Mildew	MB ¹	Fusarium Wilt ²	Green Seed Coat ³	Seed Coat Breakage	Seed Coat Dimpling ⁴					
CDC Amarillo (C)	98	50	Long	M	230	VG	VG	F	G	G	F	F					
CDC Hickie	100	14	Mid	М	230	VG	VG	F	G	G	G	G					
CDC Spectrum	93	42	Long	L	240	VG	VG	F	F	G	G	G					
CDC Lewochko	100	42	Long	L	230	VG	VG	F	F	G	G	G					

- 1. Mycosphaerella Blight
- 2. Varieties which show good disease tolerance to one strain of Fusarium wilt may be susceptible to other strains
- 3. Green seed coats: G= 0-10%, F= 11-25%
- 4. Seed coat dimpling rating: VG= 0-5%, G= 6-20%, F= 21-50%

2024 Saskatchewan Seed Guide

		Yield (%	of CDC	Amarillo)					Resistance to:							
Variety	Years Tested	1, 2 & South 3	North 3 & 4	Irrigation	Protein	Relative Maturity	Lodging ¹	Vine Length (cm)	MB ²	Powdery Mildew	Fusarium Wilt	Seed Coat Breakage	Seed Coat Dimpling ³	Greeness ⁴	Seed Weight (g/1000)	
										_		_	_			
CDC Amarillo (C)	14	100	100	100	23.0	М	3.5	85	4.5	R	MR	F	F	G	230	
CDC Boundless	4	109	100		+0.8	M	3.0	90	4.5	R	MR	G	G	G	230	
CDC Canary	10	99	100		+0.1	E	3.5	85	4.5	R	I	G	F	F	230	
CDC Hickie	7	107	106		+0.5	M	3.5	85	4.5	R	MR	G	G	G	230	
CDC Spectrum	12	105	103	94	+0.7	М	3.5	85	4.5	R	I	G	G	F	240	
CDC Lewochko	10	104	104		+0.9	M	3.5	90	4.5	R	I	G	G	G	230	

- 1. Lodging: 1= completely upright, 9= completely lodged
- 2. Mycosphaerella Blight score (1-9) 1= no disease, 9= completely blighted
- 3. Seed coat dimpling: VG= 0-5%, G= 6-20%, F= 21-50%
- 4. Green seed coats: G= 0-15%, F= 16-40%

2024 Alberta Seed Guide

ZUZT AIDEI IA	Jeeu G	uiue																				
			Brown -	Irrigated	Brown		Black-short		Black-mid		Grey Wooded		Agronomic Characteristics:				Disease T	olerance5	Tolerance to:			
		Overall Station Years of	Yield	Site	Yield	Site	Yield	Site	Yield	Site	Yield			Maturity	Vine Length	Seed Size	Stand-				Seed Coat	
Variety	Yield	Testing	(%)	Years	(%)	Years	(%)	Years	(%)	Years	(%)	Years	(%)	Rating ¹	(cm)	(TKW)	ability ²	MB ³	Wilt	Breakage	Dimpling ⁴	Coat ⁶
CDC Amarillo (C)	100	58	100	3	100	7	100	14	100	23	100	11	23.0	М	85		2.4	4.5	MR	F	F	G
CDC Canary	103	58	XX	3	95	7	104	14	105	23	103	11	+0.1	Е	58	230	2.6	4.5	I	G	F	F
CDC Hickie	104	16	XX	1	XX	1	XX	4	107	7	XX	3	+0.5	M	85	230	2.6	4.5	MR	G	G	G
CDC Spectrum	103	58	XX	3	94	7	105	14	104	23	103	11	+0.7	M	85	240	2.1	4.5	Ī	G	G	F
CDC Lewochko	103	58	XX	3	98	7	104	14	104	23	103	11	+0.9	M	90	230	1.6	4.5	ı	G	G	G

- 1. Maturity: E= Early, M= Medium, L= Late
- 2. Standability: 1= completely upright 9= completely lodging
- 3. Mycosphaerella Blight, 1= no disease, 9= completely blighted
- 4. Seed Coat Dimpling: VG= 0-5%, G= 6-20%, F= 21-50%
- 5. Disease Tolerance: I = intermediate, MR = moderately resistance, R = resistant
- 6. Green Seed Coat: G= 0-10%, F= 11-25%